

**CENTER INFORMATION**

Certification # \_\_\_\_\_ Name of Center \_\_\_\_\_  
 Assoc# \_\_\_\_\_ Name of USBC Association \_\_\_\_\_ State \_\_\_\_\_  
 Assoc# \_\_\_\_\_ Name of USBC Association \_\_\_\_\_ State \_\_\_\_\_  
 Bowling Center Mailing Address \_\_\_\_\_  
 Bowling Center Street Address \_\_\_\_\_  
 Email \_\_\_\_\_ Fax \_\_\_\_\_  
 Name of Manager \_\_\_\_\_ Business Phone # ( ) \_\_\_\_\_  
 Name of Owner \_\_\_\_\_ Business Phone # ( ) \_\_\_\_\_  
 Owner Mailing Address \_\_\_\_\_  
 \_\_\_\_\_ Lanes in Bowling Center \_\_\_\_\_ Lanes Have Been Added \_\_\_\_\_ Lanes Have Been Replaced \_\_\_\_\_  
 Lanes To Be Certified Are Numbered \_\_\_\_\_ - \_\_\_\_\_ Initial  Annual Renewal   
 Class of Bowling Center: Commercial  Military  Fraternal  University  Other   
 Automatic Scorers: Yes  No  If Yes: Manufactured by \_\_\_\_\_ Series \_\_\_\_\_  
 Pinsetters: Manual  Semi-automatic  Automatic  Manufactured by \_\_\_\_\_ Series \_\_\_\_\_  
 Pin Decks: Wood  Synthetic  If Synthetic: Manufactured by \_\_\_\_\_ System \_\_\_\_\_  
 Lanes: Wood  Synthetic  If Synthetic: Manufactured by \_\_\_\_\_ System \_\_\_\_\_

Date of Inspection \_\_\_\_\_ 20 \_\_\_\_

<b>FOR USBC USE ONLY</b>	
Due USBC \$ _____	
Received \$ _____	
Date Stamp – Rec'd. By USBC	
Date Certified	

**RESURFACER/INSTALLER INFORMATION**

Resurfacers Stencil or Synthetic Product ID Code Appears On All Lanes: Yes  No   
 Resurfaced / Installed By \_\_\_\_\_ Date \_\_\_\_\_ 20 \_\_\_\_  
 Screened and Recoated Only  
 Wood Lane Surface Top Coat . . . . . Urethane  Water Base  Lacquer  Epoxy  100% Solid   
 Manufactured by \_\_\_\_\_

**INSPECTOR INFORMATION – SUBMISSION OF FORM TO BOWLING HEADQUARTERS**

We, the undersigned, representing the above listed bowling associations, have measured and inspected the physical specifications of the lanes referred to in this report and certify the measurements listed herein to be accurate.

All Measurements Meet USBC Specifications – IF UNABLE TO FILE ON [WWW.BOWL.COM](http://WWW.BOWL.COM) - FORWARD ONLY PAGE 1 TO USBC\*  
 All Measurements Do Not Meet USBC Specifications – IF UNABLE TO FILE ON [WWW.BOWL.COM](http://WWW.BOWL.COM) - FORWARD ALL PAGES TO USBC\*  
 Signature of Lead Inspector \_\_\_\_\_ Business Phone # \_\_\_\_\_ Home Phone # \_\_\_\_\_  
 Print Name of Inspector \_\_\_\_\_ Business Phone # \_\_\_\_\_ Home Phone # \_\_\_\_\_  
 Address of Inspector \_\_\_\_\_ Amount Enclosed \$ \_\_\_\_\_

I Hereby Apply for an USBC Bowling Center Certificate and Acknowledge Receipt of One Copy of this Application.

Signature of Bowling Center Owner or Authorized Representative \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

\*Mail To: USBC – 5301 South 76th Street – Greendale, Wisconsin 53129

NOTE: ALL CERTIFICATION APPLICATIONS SHOULD BE SUBMITTED ELECTRONICALLY ON [WWW.BOWL.COM](http://WWW.BOWL.COM)

**SECTION A**

THE FOLLOWING MEASUREMENTS MUST BE COMPLETED FOLLOWING INSTALLATION, OR REPLACEMENT:

If Replacement Occurs, Only Answer Affected Areas.

- |  |   |                              |                             |
|--|---|------------------------------|-----------------------------|
| 1. <b>APPROACH LENGTH</b> – (Not Including Foul Line) Specification: Minimum of 15'                                | Do All Approaches Comply?                               | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 2. <b>FOUL LINES</b> – Specification: Minimum 3/8" - Maximum 1"  | Do All Foul Lines Comply?                               | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 3. <b>TARGETS AND GUIDES</b> – (Including Approaches)  | Are All Targets and Guides Equally and Properly Spaced? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 4. <b>LANE LENGTH</b> – (Foul Line to Center of #1 Pin Spot) Specification: Minimum 59' 11 1/2" – Maximum 60' 1/2" | Do All Lanes Comply?                                    | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 5. <b>PIN SPOTS</b> – Specification: 2 1/4" Diameter – 12" Center To Center  | Do All Pin Spots Comply?                                | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 6. <b>KICKBACK PLATES</b> – (Fibre Or Synthetic) Specification: Maximum 3/16" Thick                                | Do All Kickback Plates Comply?                          | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

**SECTION B**

THE FOLLOWING MEASUREMENTS MUST BE COMPLETED FOLLOWING INSTALLATION, REPLACEMENT, OR RESURFACING:

- |   |                                  |                              |                             |
|---|----------------------------------|------------------------------|-----------------------------|
| 7. <b>PIT DEPTHS</b> – Specification: Automatic – Minimum 4 3/4" Manual Or Semiautomatic – Minimum 9 1/2" | Do All Pit Depths Comply?        | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 8. <b>PIT LENGTHS</b> – Specification: Automatic – Minimum 25" Manual Or Semiautomatic – Minimum 30"      | Do All Pit Lengths Comply?       | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 9. (a) <b>SYNTHETIC OR PANELIZED LANES/PIN DECKS</b> – Specification: Maximum .050 Inch                   | Do Gaps Between Sections Comply? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

**\* SECTION C**

THE FOLLOWING MEASUREMENTS MUST BE COMPLETED YEARLY REGARDLESS OF RESURFACING, RECOATING, OR NO WORK PERFORMED:

- |  |  |                              |                             |
|--|--|------------------------------|-----------------------------|
| 9. (b) <b>SYNTHETIC OR PANELIZED LANES/PINDECKS</b> – Specification: Maximum .040 Inch   | Do Drops From Trailing To Leading Edge Comply? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 10. <b>APPROACH DEPRESSIONS</b> – (5" FROM FOUL LINE) Specification: Maximum 1/4" (250/1000)   | Do All Approaches Comply?                      | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 11. <b>AUTOMATIC FOUL DETECTING DEVICES</b> –  | Are All Devices Operational?                   | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 12. <b>GUTTERS</b> – Do All Gutters Have Square Bottoms And Slope Gradually From A Point Opposite Or Within 15" Ahead Of The #1 Pin Spot To The Pit? |  | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 13. <b>PINSPOTTING</b> – Specification: On Spot – First Cycle  | Do All Pinsetters Comply?                      | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 14. <b>EDGE STRIPS</b> – (Fibre Or Synthetic) Specification: Width – Maximum 1/2" Radius – Maximum 5/32"   | Do All Edge Strips Comply?                     | Yes <input type="checkbox"/> | No <input type="checkbox"/> |



• INSTRUCTIONS: CHECK FOR CROSSWISE TILT , LENGTHWISE TILT (NEW CENTERS ONLY) , DEPRESSIONS AT EACH TEST POINT INDICATED • COMPLETE ALL BOXES  
 • SPECIFICATION: MAXIMUM .040 (40/1000)

ITEM	DISTANCE FROM FOUL LINE	REMEMBER TO COMPLETE TILTS & DEPRESSIONS	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.	Lane No.		
*22	Measure Between 10 - 15'	Depressions	<b>Crosswise tilts</b>																
			6" - 12" from 10 pin side																
	Middle of lane																		
	6" - 12" from 7 pin side																		
	<b>Lengthwise Tilts</b> (new centers only)																		
*22	Measure Between 30 - 40'	Depressions	<b>Crosswise tilts</b>																
			9" - 15" from 10 pin side																
	Middle of lane																		
	9" - 15" from 7 pin side																		
	<b>Lengthwise Tilts</b> (new centers only)																		
*22	Measure Between 50 - 55'	Depressions	<b>Crosswise tilts</b>																
			12" - 18" from 10 pin side																
	12" - 18" from 7 pin side																		
	<b>Lengthwise Tilts</b> (new centers only)																		

**REMARKS:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

• REMEMBER TO CIRCLE ALL DISCREPANCIES ON PAGES 2, 3 AND 4 BEFORE PROVIDING A COPY TO CENTER MANAGEMENT.